

ALLAND STEEL PIPE

河北奥蓝德钢管制造有限公司
HEBEI ALLAND STEEL PIPE MANUFACTURING CO., LTD

地址/Add: 河北省沧州市纸房头工业园区
Zhifangtou Industrial Zone, Cangzhou, Hebei, China.
邮编/Post Code: 061026



奥蓝德钢管

大口径双面埋弧焊直缝钢管
LONGITUDINAL SUBMERGED ARC WELDING PIPE



美国石油协会API认证企业

河北奥蓝德钢管制造有限公司
HEBEI ALLAND STEEL PIPE MANUFACTURING CO., LTD



中国制造 更有保障

必须始终高度重视发展壮大实体经济，抓实体经济一定要抓好制造业，努力占领世界制高点，掌握技术话语权，使我国成为现代制造业大国。

——习近平总书记



奥蓝德钢管

大口径双面埋弧焊直缝钢管
LONGITUDINAL SUBMERGED ARC WELDING PIPE

目录 ALLLAND STEEL PIPE CATALOGUE

P01 About Us

关于我们

- 03 企业简介
Company Profile
- 05 企业理念
Corporate Philosophy
- 07 厂区
Our Factory
- 09 资质证书
Certificates

P11 Production Testing Equipment

生产检测设备

- 11 工艺流程图
Processing Equipment and Process Flow
- 15 生产车间
Workshop
- 17 直缝埋弧钢管的主要生产设备
Production Equipment
- 19 主要生产设备表
List of Production Equipment
- 21 检测实验设备
Precision Testing Equipment
- 23 理化实验室设备表
List of Physical and Chemical Laboratory Equipment

P24 Product Display

产品展示

- 24 直缝埋弧钢管
SAWL Pipe
- 27 防腐保温管
Anti-corrosive Pipe

P28 Product Application Area

产品应用领域

P31 List of Achievements

业绩一览表



河北奥蓝德钢管制造有限公司是国内生产厚壁大口径双面埋弧焊直缝钢管厂家之一。公司诞生于中国管道装备之乡—河北省沧州市，坐落于沧县纸房头工业园区，总投资5亿元人民币，其中固定资产投资4亿元，流动资金1亿元，总占地面积60000平方米。公司年生产JCOE直埋埋弧焊钢管20万吨，风力发电塔杆5000根的生产能力。公司现有职工200多人，其中各类技术人员40多人。

公司引进先进的整套埋弧焊直缝钢管JCOE生产设备和检测设备，专业生产厚壁大口径直埋埋弧焊直缝钢管，产品规格为 $\Phi 406\text{mm} - \Phi 1422\text{mm}$ ，长度3m-12m，壁厚7mm-40mm。产品执行标准为：GB/T3091、GB/T9711 PSL1/PSL2、API 5L PSL1/PSL2、EN10219等。材质为：Q235、Q345、L175-L555、X42-X80、S355J2等。

公司产品广泛应用于各类油气输送管线及建筑结构钢，包括石油管线、天然气、城市管网、矿山水煤管线、矿山煤浆管线、高压输电线路、风电、桥梁、高速铁路的钢结构建筑等。

另外，公司下设防腐公司。该公司位于沧州市开发区，占地面积60000平方米，拥有三条国际先进水平的钢管表面防腐生产线。目前公司可承接钢管防腐的单层（FBE）和双层熔结环氧粉末（2FBE）、双层聚乙烯（2PE）和三层聚乙烯（3PE）。产品执行标准为GB/T3257、DIN30670、ISO21809-1、SY/T7041、GB/T29047，年生产能力400万平方米。

公司坚持以质量为本，从原料采购、板材检测、加工生产到成品入库，严格按照相应标准执行。2011年，公司取得美国石油协会颁发的API 5L证书。同年，公司被中国农业银行河北省分行授予“AAA级信用企业”、被河北省工商局授予“2011年沧州市重合同守信用企业”。

期待与您的合作！

COMPANY PROFILE

奥蓝德公司简介

Hebei Ailland Steel Pipe Manufacturing Co., Ltd. is one of the largest manufacturer of SAWL (JCOE) pipe in China, which is specialized in producing thick wall and large diameter longitudinal submerged arc welding steel pipes. The company is established in Cangzhou City of Hebei Province, the land of China Pipeline Equipment and is located in Zhifangtong Industrial Zone of Cangxian County. The company, which covers an area of 60,000 square meters, has a total investment of RMB 0.5 billion, with fixed assets of RMB 0.4 billion and circulation capital of RMB 0.1 billion. The annual output of the company is 200 thousand tons of longitudinal submerged arc welding (SAWL) steel pipes and 5000 pieces of wind power generation poles. There are 200 employees, of which 40 are technical engineers.

We have brought in whole set of advanced production equipment and inspection equipment to produce thick wall and large diameter longitudinal submerged arc welding steel pipe with size of $\Phi 406\text{mm} - \Phi 1422\text{mm}$, length of 3m-12m and wall thickness of 7mm-40mm. We produce according to standards of API 5L PSL1 & PSL2/ASTM/DIN/JIS/EN/AS and so on, with grades of Q235B, Q345, L175-L555 X42-X80, S355J2 etc.

Our products are widely used in various oil and gas transmission pipelines and steel structure construction, including oil pipelines, natural gas pipelines, urban pipeline networks, mine water and coal pipelines, mine coal slurry pipelines, high-voltage power transmission lines, bridge construction, high-speed railway steel structure construction, etc.

Moreover, we have our own anti-corrosion company which is located in the development zone of Cangzhou city. We have got three international advanced anti-corrosion coating production lines that can provide different anti-corrosion coating like FBE, 2FBE, 3PE, 3PP, 2PE according to standards of GB/T3257-2009, DIN30670, DIN30671, DIN30678, SY/T0413-2002, SY/T0315-97, CAN/CSA Z245.20/21 etc.

We adhere to the quality-oriented principle. From raw material procurement, plate testing, processing and production to finished product storage, the company strictly implement each step strictly according to corresponding standards. In 2011, our company got the API5L certificate. In the same year, the company was awarded AAA-level credit enterprise by the branch of Agricultural Bank of China, and was awarded "2011 Cangzhou City Good faith Enterprise" by Hebei Administration for Industry and Commerce.

Look forward to cooperating with you.





企业理念 ALLLAND
STEEL PIPE
CORPORATE PHILOSOPHY »

员工精神 Staff Spirit

严于律己、顾全大局、团结协作、求真务实
Be devoted to the duty. Always consider for the overall interest. Be cooperative. Be realistic and pragmatic.

经营管理理念 Business Philosophy

以质量求生存，以信誉求发展，以管理求效益。
Seek survival by quality. Seek development with prestige. Rely on management for efficiency.

安全理念 Security Philosophy

珍视生命、关爱健康、全员参与、从零防范
Cherish life. Care for health. Full participation. Zero precaution.

企业愿景 Corporate Vision


专注我们的事业，开拓创新，为客户提供更优质的产品和服务，为员工提供更好的发展机会，为社会创造更大的价值。

Focus on our business, be pioneering and innovative, provide customers with better products and services, provide employees with better development opportunities, and create greater value for society.



专业钢管管道防腐生产商，
承接FBE,2FBE,3PE,3LPP,环氧煤沥青等防腐
Professional Steel Pipe Anti-Corrosion Producer,
Our anti-corrosion products include FBE,2FBE,3PE,3LPP and Coal
Tar Epoxy etc.

河北奥蓝德钢管制造有限公司
Hebei Allland Steel Pipe Manufacturing Co., Ltd





- 1、API 5L认证证书
API 5L certificate
- 2、河北省企业安全生产诚信等级证书
Hebei enterprise safety production credit certificate
- 3、营业执照
Business license
- 4、安全生产标准化证书
Safety production standardization certificate
- 5、中华人民共和国特种设备制造许可证
Special equipment manufacturing license of the people's Republic of China
- 6、辐射安全许可证
Radiation safety permit



- 1、ISO 9001 证书
ISO 9001 Certificate
- 2、质量管理体系认证证书英文
Quality management system certificate English
- 3、环境管理体系认证证书
Environmental management system certification
- 4、环境管理体系认证证书英文
Environmental management System Certificate English
- 5、职业健康安全管理体系认证证书
Occupational health and safety management system certificate
- 6、职业健康安全管理体系认证证书英文
Occupational health and safety management system certificate English
- 7、CPR认证书 01
CPR Certificate Page 1
- 8、CPR认证书 02
CPR Certificate Page 2
- 9、PED-AD 2000证书 01
PED-AD 2000 Certificate Page 1
- 10、PED-AD 2000证书 02
PED-AD 2000 Certificate Page 2
- 11、PED-AD 2000证书 03
PED-AD 2000 Certificate Page 3
- 12、PED-AD 2000证书 04
PED-AD 2000 Certificate Page 4





加工设备及工艺流程

Processing equipment and process flow



板材检测
Steel Plate Inspection



切割下料
Cutting and Bailing



铣边
Sharp-edge



预弯
Pre-bending



成型
Forming



合缝预焊
Stitch and Pre-welding



内焊
Internal Welding



外焊
External Welding





加工设备及工艺流程

Processing equipment and process flow



精整
Finishing




矫直
Straightening



在线超声波探伤
Online Ultrasonic Flaw Inspection



扩径
Expanding



水压试验
Hydrostatic Test



便携式超声波探伤仪
Ultrasonic Flaw Inspection



X射线探伤
Flaw Detect X-ray



倒棱
Chamfer Angle



消磁
Demagnetization





技术和工艺保证

我们的钢管生产和检验工艺流程是严格按照API 5L 和 GT/9711标准执行的, 并按更高一级的输气管线标准进行了技术改造。从制管和检测设备两个方面都具备了生产优质输送钢管的能力。在每批钢管试生产前, 从原材料的入厂到产品入库全过程的质量检验, 我们都严格按照标准要求的工艺试验和评定, 保证钢管逐支进行焊缝检验; X射线检验(管端不存在盲区); 水压试验(水压检验采用端面密封, 管端盲区减小到最小), 水压试验自动记录仪可保证对每根钢管按规定压力, 时间进行试压和保压; 外观检测(包括内外焊缝及母材表面), 并按照检验检测计划逐批进行化学分析和机械性能试验, 保证生产出优质产品。

Our company's steel pipe production and inspection process is strictly implemented in accordance with API 5L and GT/9711 standards, and has been technically modified in accordance with higher-level gas pipeline standards. It has the ability to produce high-quality steel pipes in terms of pipe making and testing equipment. Before the trial production of each batch, we strictly follow the process test and evaluation required by the standard. Ensure that steel pipes are 100% inspected: X-ray, hydraulic test, RT, visual and dimension inspection. In the meantime, Chemical analysis and mechanical test are carried out according to the inspection and testing plan to ensure the production of high-quality products.





直缝埋弧焊钢管主要生产设备 Production equipment

序号 Item	设备名称 Equipment Name	规格型号 Specifications	数量 Quantity	技术性能 Technical Performance
1	直线条切割机 Cutting Machine	HMEC-GS2-5500-18000	1	1. 裁板长度可达18M 2. 裁板宽度可达5.5M 3. 裁板厚度可达50MM Can cut steel plate with max length of 18 M, max width of 5.5 M and max thickness of 50mm
2	钢板铣边机 Edge Milling Machine	XB-14000-50	1	1. 钢板长度可达14M 2. 钢板宽度可达5M 3. 钢板厚度6-50MM Milling plate length can reach 14M, width 5M and thickness 6-50mm.
3	钢板折弯机 Bending Machine	BWQ-600/1500	1	1. 折弯压力可达25MP 2. 折弯宽度4500MM 3. 折弯厚度可达50MM Bending force can reach 25MP, can bend plates with width of 4500mm and thickness 50mm
4	钢管成型机 Pipe Forming Machine	TDY3TK-3500/1120X13000 D465W	1	1. 压板最大压力3500吨 2. 压板长度13M 3. 压板宽度4500MM 4. 压板厚度50MM The max force reach 3500tons. Can process plates with length reaching 13M, width 4500mm and thickness 50mm
5	钢管预埋合缝机 Pre-welding Machine	GYH-50/1422X12200	1	1. 合缝管径1600MM 2. 合缝壁厚50MM 3. 合缝长度12200MM Can sitch pipes with max OD being 1600mm, thickness 50mm and length 12200mm
6	三丝内焊机 Internal Welding Machine	NH-12200	1	1. DC1500林肯焊机一台 2. AC1200林肯焊机两台 3. 电压20-60V 4. 电流200-1500A One DC1500 and two AC1200 LINCOL internal welding machine.
7	四丝外焊机 External Welding Machine	WH-12200	1	1. DC1500林肯焊机一台 2. AC1200林肯焊机三台 3. 电压20-60V 4. 电流200-1500A One DC1500 and three AC1200 LINCOL external welding machine.
8	钢管整圆机 Finishing Machine	ZYJ-2000T	1	1. 整圆压力2000吨 2. 整圆管径1600MM 3. 整圆管壁厚可达50MM The max force reach 2000tons. Can process pipes with OD reaching 1600MM, and thickness 50mm
9	精整校直机 Straightening Machine	XZJ-600T	1	1. 矫直压力600吨 2. 矫直管径1600MM 3. 矫直管壁厚可达50MM The max straightening force reach 600tons. Can process pipes with OD reaching 1600MM, and thickness 50mm
10	平头倒棱机 Plain-end chamfering machine	DLJ-400/1500	1	1. 平头钢管长度4-13M 2. 平头倒棱管径400-1600MM 3. 平头倒棱厚度5-50MM Can process pipes with length 4-13M, OD 400-1600MM, and thickness 5-50mm
11	扩径机 Expanding Matching	TDT90-40/1422X12500	1	1. 扩径最大压力25MP 2. 扩径管最大壁厚50MM 3. 扩径管直径400-1600MM 4. 扩径管长度8-12M The max expand force reach 25Mpa. Can process pipes with OD reaching 1600MM, thickness 50mm and length 8-12M

直缝埋弧焊钢管主要检测设备 Testing equipment

序号 Item	设备名称 Equipment Name	型号 Specifications	数量 Quantity	检测内容 Function
1	超声波钢板探伤机 Ultrasonic flaw detector for steel plate	MASE-B40SN	1	主要用于检测焊缝纵向和横向缺陷及管体母材分层 Mainly used to detect longitudinal and transverse defects in welds and delamination of pipe body wires.
2	大直缝管超声波探伤机 Ultrasonic flaw detector for steel pipe	MASE-Z22SN	2	主要用于检测焊缝纵向和横向缺陷及管体母材分层 Mainly used to detect longitudinal and transverse defects in welds and delamination of pipe body wires.
3	水压机 Hydraulic test machine	SYJ-30000T	1	试验钢管承压能力 Test the working pressure of steel pipe.
4	RT射线机 Flaw detect X-Ray	CMH-G320ZA-A	1	气孔、夹渣、裂纹、未熔合 Detect the Porosity, slag inclusion, crack and not fused.
5	便携式超声波探伤仪 Portable ultrasonic flaw detector	PXUT-350B+	3	主要用于检测焊缝纵向和横向缺陷及管体母材分层 Mainly used to detect longitudinal and transverse defects in welds and delamination of pipe body wires.



精密检测设备
Precision Testing Equipment



光谱磨样机
Spectral Grinding Machine



冲击试验低温槽
Cryostat for Impact Test



在线超声波检测
On Line Ultrasonic Test Machine



X射线检测仪
X Ray Test Machine



金属摆锤冲击试验机
Pendulum Impact Testing Machine



压扁试验机
Flattening Test Machine



万能试验机
Universal Testing Machine



光谱仪 Spectrograph



落锤断制试验机
Hammer Impact Test Machine



金相显微镜
Metalloscope



碳硫分析仪
Carbon and Sulfur Analyzer

金相分析仪
Metallographic analyzer




理化实验室仪器设备一览表
List of physical and chemical laboratory equipment

序号 Item	设备名称 Equipment Name	规格型号 Specifications	检定日期 Inspection Date	设备用途 Function
1	火花发射光谱仪 Spectrograph	Labspark 7508	03/12/2019	化学成分分析 Chemical composition analysis
2	液压式万能试验机 Universal Testing Machine	WE-1000E	19/12/2019	进行拉伸、弯曲试验 Tensile/bending test
3	冲击试样缺口手动拉床 Impact Sample Notch Broaching Machine	LC-1	06/12/2019	制取冲击试样缺口 Make impact test gap
4	冲击试验机 Impact Testing Machine	JB-500B	20/12/2019	夏比V型冲击试验 Charpy V impact test
5	冲击实验低温槽 Cryostat for Low Temperature Impact Test	CDL-80L	06/12/2019	冷却冲击试样 Cooling the Impact Specimen
6	压平压样机 Flattening Mill	YSL-2000		制取落锤试样缺口 Make the notch of the drop hammer sample
7	落锤冲击试验机 Drop Hammer Impact Testing Machine	DWTT-5000S	20/12/2019	进行落锤断裂试验 Perform a drop hammer impact test
8	碳硫分析仪 Carbon/Sulfur Analyzer	YL-18C	03/12/2019	分析C、S元素成分 Analysis of Carbon & Sulfur elements
9	电子天平 Electronic Balance	FA2004B		称取试样 Weigh the samples
10	托盘天平 Pallet Balance	500g-0.5g		称取试样 Weigh the samples
11	砝码 Counterweight	200g-10g		称取试样 Weigh the samples
12	可见分光光度计 Visible Spectrophotometer	T21	02/12/2019	元素分光光度的测量 Measure the elemental spectrophotometric
13	万用炉 Universal Furnace			试样加热 Sample heating
14	磁轭探伤仪 Yoke Flaw Detector	CJE-1		进行探伤试验 Perform the flaw detection test
15	粗糙度仪 Roughness Tester	SRT-6200	03/12/2019	粗糙度测试 Perform the Roughness test
16	小负荷维氏硬度计 Vicker Hardness Tester	HV-10	20/12/2019	Hv型硬度测试 Test HV hardness
17	砂轮光谱磨样机 Spectral Mill Prototype	GM-3		制备光谱试验中的试样 Making sampled spectrum
18	金相试样磨抛机 Metallographic Sample Grinding and Polishing Machine	MP-2		制取金相试样 Making metallographic samples
19	金相显微镜 Metallographic Microscope	MDJ200	13/12/2019	金相分析 Metallographic analysis
20	冲击试样缺口投影仪 Impact Specimen Notch Projector	CST-50	03/12/2019	夏比V型缺口的观测 Observe Charpy V-notch



直缝埋弧钢管
Longitudinal Submerged
Arc Welding Pipe




直缝埋弧钢管
Longitudinal Submerged
Arc Welding Pipe





奥蓝德钢管
ALLLAND STEEL PIPE

专业 高效 创新
PROFESSIONAL EFFECTIVE CREATIVE



防腐保温管
Anticorrosive Insulated pipe
专业防腐20年
20+ YEARS EXPERIENCES
IN ANT-CORROSION COATING



工程案例

Main Projects of Domestic and Abroad



工程名称 Project Name:

内蒙核电工程/ Inner Mongolia Nuclear Power Engineering Project

供应 Items Supplied:

直缝埋弧焊管/LSAW STEEL PIPE

规格&标准 Size & Standard: DN600MM ,GB9711.1 L360M

数量 Quantity: 1200 Tons



工程名称 Project Name:

大连造船厂项目 Dalian Ship Building Project

供应 Items Supplied:

直缝埋弧焊管/LSAW STEEL PIPE

规格&标准 Size & Standard: DN800MM ,GB9711.1 L415

数量 Quantity: 1200 Tons

双面埋弧焊管主要是用热轧卷板和中厚板卷制而成，双面埋弧焊管采用双面埋弧焊机技术，其壁厚相对于普通焊管稍厚一点。相对于普通壁厚焊管的优点是：耐压强度高，抗冲击强度高，性能高，使用寿命长。

应用领域:

- 1、石油气管道，该管道主要使用的厚壁螺旋焊管，如西气东输工程。
- 2、机加工，该行业对大口径直缝钢管的直线度、不圆度要求较高，如路面机械、化工设备上的使用。
- 3、工程结构，该行业主要使用中低端的埋弧焊管，如火车站、地铁、体育馆等大型管桁架工程。



工程名称 Project Name:

西气东输工程/Project of Natural Gas Transmission from West to East

供应 Items Supplied:

直缝埋弧焊管/LSAW STEEL PIPE

规格&标准 Size & Standard: DN1200MM ,GB9711.1 L450M

数量 Quantity: 2800 Tons

工程名称 Project Name:

拉萨城市供热工程/Lhasa City's Urban Heating Project

供应 Items Supplied:

直缝埋弧焊管/LSAW STEEL PIPE

规格&标准 Size & Standard: DN900MM ,GB9711.1 L245M

数量 Quantity: 1800 Tons



工程名称 Project Name:

拉纳瓦拉小型水电站/Ranawala Mini Hydropower Plant

供应 Items Supplied:


直缝埋弧焊管/LSAW STEEL PIPE

规格&标准 Size & Standard: DN450MM-DN900MM ,API 5L X52 PSL1

数量 Quantity: 3600 Tons



产品应用领域 Product Application



外商合作 Foreign Cooperation



Foreign Cooperation



近三年国内业绩表

Domestic sales reference

序号	业主名称	材质	执行标准	规格型号	数量(吨)
1	印度尼西亚	API 5L GR.B	API 5L	多种	2600
2	天津东方钢管	API 5L GR.B	API 5L	610*15.5	1425
3	沙特阿拉伯	X42	API 5L	多种	4000
4	河北盛华化工有限公司	L245	GB/T9711	多种	3650
5	山东锦程贸易有限公司	Q345B	GB/T3091	多种	538
6	鑫源泰钢管集团	X70	API 5L	多种	3800
7	加拿大	X50	API 5L	多种	5300
8	广州华远进出口贸易有限公司	API 5L GR.B	API 5L	多种	2634
9	斯博特钢铁国际(香港)有限公司	X65	API 5L	多种	860
10	伊朗	X60	API 5L	多种	2950
11	宝鸡市力中物资有限责任公司	Q235B	GB/T3091	多种	1980
12	苏州建材	Q345B	GB/T3091	多种	585
13	青岛荣成贸易有限公司	API 5L GR.B	API 5L	多种	1250
14	天津德事贸易有限公司	API 5L GR.B	API 5L	多种	600
15	天津市巨惠国际贸易有限公司	API 5L GR.B	API 5L	762*18	1510
16	天津博宇通	L245	GB/T9711	多种	2600
17	天津东方钢管	Q345B	GB/T3091	多种	900
18	安徽宁成物资贸易有限公司	Q235B	GB/T3091	多种	546
19	福州建翔贸易有限公司	API 5L GR.B	API 5L	多种	1500
20	北京华通	X60	API 5L	508*15	670
21	北京亨达利钢铁有限公司	API 5L GR.B	API 5L	多种	1250
22	石家庄汇通贸易有限公司	API 5L GR.B	API 5L	多种	1700
23	青岛欧仕达贸易有限公司	API 5L GR.B	API 5L	1422*25	740
24	青岛泰昌工贸有限公司	Q345B	GB/T3091	多种	5750
25	山西源盛进出口贸易有限公司	API 5L GR.B	API 5L	508*12	710
26	湖南格润德	X52	API 5L	610*15	590
27	河北润成钢管有限公司	Q345B, X42	API 5L	多种	1500
28	乌鲁木齐鑫天金锐商贸有限公司	Q345B	GB/T3091	950*30	800
29	天津盈博鑫源商贸有限公司	L245	GB/T9711	多种	2200
30	北京众恒恒源商贸有限公司	L245	GB/T9711	1321*10	1200
31	天津重钢机械装备股份有限公司	Q235B	GB/T3091	多种	800
32	河北宁溪光源有限公司	Q345B	GB/T3091	多种	500
33	怀远国际有限公司	X46	API 5L	1050*30	8300
34	青岛富品达金属材料有限公司	L245	GB/T9711	多种	900
35	成都德凌钢铁有限公司	A671 CC05 CL22	ASTM	多种	700
36	青岛泰和石油科技有限公司	L360M	GB/T9711	多种	950
37	河北天露管道设备有限公司	L245	GB/T9711	711*14	650
38	天津市荣锐国际贸易有限公司	Q235B	GB/T3091	多种	730

近三年国内业绩表

Domestic sales reference

序号	业主名称	材质	执行标准	规格型号	数量(吨)
39	天津市博安钢管有限公司	L245	GB/T9711	1220*12	800
40	上海中油天宝钢管有限公司	L245	GB/T9711	多种	1300
41	湖南格润德	GR.B, X65	API 5L	多种	600
42	河北润成钢管有限公司	X42	API 5L	406.4*9.8	1600
43	沧州市元成国际贸易有限公司	X60	API 5L	多种	800
44	天津重钢机械装备股份有限公司	A36	ASTM	886*25	1100
45	DG INFRA TECH PTE.LTD	X60	API 5L	508*10.3	1300
46	湖南格润德	GR.B, X60	API 5L	多种	1500
47	江西昌隆钢铁贸易有限公司	Q345B	GB/T3091	1000*30	600
48	湖南佰仕达钢管有限公司	X60	API 5L	800*24	1200
49	廊坊市金鑫鹏飞工贸有限公司	Q345B	GB/T9711	600*18	800
50	湖南佰仕达钢管有限公司	X52	API 5L	1067*30.75	3000
51	银川峰宝物资有限公司	L245	GB/T9711	多种	500
52	无锡市华发特钢有限公司	GR.B	API 5L	多种	700
53	山东鑫源钢管制造有限公司	X56	API 5L	610*25.4	680
54	斯博特钢铁国际(香港)有限公司	X52	API 5L	多种	2500
55	QINXIN INTER	X60	API 5L	609.6*9.53	1100
56	天津众源石油钢管有限公司	Q345B	GB/T9711	多种	850
57	斯博特钢铁国际(香港)有限公司	X52	API 5L	914.4*18.4	1000
58	沧州市元成国际贸易有限公司	Q460	GB/T9711	多种	2000
59	内蒙古中谷矿业有限公司	L245	GB/T9711	多种	700
60	伊拉克	GR.B	API 5L	多种	5000
61	湖南格润德	X56	API 5L	多种	800
62	安徽台基管道设备有限公司	L245	GB/T9711	多种	800
63	沧州市众源钢管有限公司	Q235B	GB/T3091	多种	1200
64	辽宁威尔玛大型钢管制造有限公司	X70	API 5L	914*17.5	600
65	湖南佰仕达钢管有限公司	X56	API 5L	622.3*11.5	500
66	宁波工艺国际贸易有限公司	X56	API 5L	多种	900
67	福建建工集团	Q235B	GB/T3091	多种	650
68	辽宁威尔玛大型钢管制造有限公司	L415M	GB/T9711	多种	2000
69	北京四达基业市政建设工程有限公司	Q345B	GB/T9711	900*22	700
70	河北通源管道装备有限公司	X52	API 5L	多种	2500
71	沧州市德盛钢管集团	Q370R	GB/T9711	多种	1800
72	天津德远贸易公司	L415	GB/T9711	711*15.88	900
73	大连永盛进出口贸易有限公司	X42	API 5L	多种	980
74	天津市津丰工贸有限公司	API 5L GR.B	API 5L	712*10	1500
75	广州华瑞进出口贸易有限公司	X52	API 5L	多种	1500



近三年国内业绩表

Domestic sales reference

序号	业主名称	材质	执行标准	规格型号	数量 (吨)
76	巴西	X70	API 5L	多种	2100
77	胜利油田	L245	GB/T9711	多种	4000
78	苏州永利工程公司	L245	GB/T9711	多种	3400
79	天津五矿贸易有限公司	X60	API 5L	多种	1600
80	武汉卓成经贸有限公司	X52	API 5L	多种	2400
81	石家庄汇通贸易有限公司	API 5L GR.B	API 5L	多种	2960
82	山东锦程贸易有限公司	Q345B	GB/T3091	1270*25	1800
83	石家庄百斯特贸易有限公司	API 5L GR.B	API 5L	多种	1680
84	河北盛华化工有限公司	L245	GB/T9711	多种	690
85	加拿大	X70	API 5L	814*18.5	5000
86	天津华北永利工程公司	L245	GB/T9711	多种	3200
87	成都攀成钢管销售有限公司	Q345B	GB/T3091	多种	1900
88	山西原盛进出口贸易有限公司	API 5L GR.B	API 5L	多种	640
89	沙特阿拉伯	X60	API 5L	多种	2780
90	新博特钢铁站(香港)有限公司	API 5L GR.B	API 5L	多种	4600
91	武汉恒生贸易有限公司	API 5L GR.B	API 5L	多种	1430
92	天津鹏胜工贸有限公司	API 5L GR.B	API 5L	多种	3700
93	北京亨达利钢铁有限公司	X60	API 5L	多种	1900
94	甘肃中远物资有限公司	Q235B	GB/T3091	406*8	520
95	河南三益金属有限公司	Q235B	GB/T3091	多种	800
96	巴西	X70	API 5L	多种	3600
97	成都攀成钢管销售有限公司	Q235B	GB/T3091	1219*30	450
98	YUHOHONG	X65	API 5L PSL2	813*7.9	820
99	泰安杰诚设备安装有限公司	A516GR60	API 5L PS2	多种规格	1574
100	天津京唐钢铁有限公司	SPA-H	GB/T9711 PS2	430*6	469
101	宁夏工业园区贸易有限公司	P235GH/C1	EN10217-5	多种规格	1399
102	河北海逸集团	L450M	GB/T9711-2011	1060*16	1408
103	GLOBAL STEEL CO.LTD	S355J2H	EN10219	多种规格	1743
104	天津市康强基业科技有限公司	GR1 1/4C-CL22	ASTM A691	多种规格	475
105	深圳市华清金属材料公司	Q345B	GB/T3091-2008	500*35	1380
106	光禄华厚钢管有限公司	X565M	API 5L PS2	多种规格	3280
107	中铁建钢结构有限公司	Q345B215	GB/T9711 PS2	1500*40	1460
108	太原天然气有限公司	L360M	GB/T9711-2011	406*4.10	1204
109	Raremetal	GR.C70	A672 CL33	多种规格	682
110	HK Furul Technology	X52	API 5L PS2	508*12.7	780
111	南宁黄冠钢材有限公司	L485M	API 5L PS2	1219*15	670
112	重庆翼祥物资有限公司	L415M	API 5L PS2	多种规格	760

近三年出口业绩表

International sales reference

Country	Client	Products	Size	Quantity(Ton)
Iran	Iran isaco pure mineral engineering	LSAW	508mm-1620mm	2350.6
Pakistan	Pakistan hydropower project	LSAW	610mm-1430mm	1956.8
Indonesian	Indonesian besmindo pan	LSAW	610mm-813mm	457.96
Algeria	Algeria hydropower construction engineering	LSAW	914 mm	968.73
Mexico	Mexico hydropower project company	LSAW	711mm-1422mm	654.63
Saudi Arabia	Saudi arabia national oil company	LSAW	406mm-1422mm	789.92
Iraq	Iraq national oil company	LSAW	813mm-914 mm	569.85
Turkmenistan	Epcc project in turkmenistan	LSAW	508mm-1219mm	1326.79
Turkey	Formosa almanesi ticaret ltd.sti.	LSAW	406.4mm-1016mm	393
Korea	Overseas korea	LSAW	609.6mm-914.4mm	153
USA	Shik holding llc	LSAW	508*8	915.4
Venezuela	Pdvs	LSAW	406mm-1422mm	301.44
USA	Houston energy equipment	LSAW	609.6mm-1524mm	4000
Iran	Nioco	LSAW	406.4mm-1524mm	886.8
Hongkong	Hongkong gnd international co.,ltd.	LSAW	500mm*25mm	822
Nigeria	Nigoc	LSAW	914*12.7	26345.95
Pakistan	Jaffer brothers limited	LSAW	508mm	257.1
Australia	Cellcrete australia pty.Ltd	LSAW	609.6mm-1016mm	516
Canada	Lomba holding limited	LSAW	406.4mm-1524mm	299.076
Japan	Anderson international corporation	LSAW	600*14	615.1
Korea	Ck steel pipe co.,ltd	LSAW	762mm-1219mm	480.6
Kenya	Hk furu pipeline tech ltd	LSAW	508mm-1016mm	509.8
Malaysia	Zhenda pipelimsdn bhd	LSAW	1117.6*9.53	437.5
Hongkong	Union resources limited	LSAW	406*11.9	850
Taiwan	Tms uk	LSAW	609.6mm-1219mm	70
South Africa	Runhe industry company limited	LSAW	762*9.53,914*9.53,1219.2*9.53	634
Hongkong	Fisco steel corporation limited	LSAW	406.4*12.7	887.8
Nigeria	Sangar and associate nigeria limited	LSAW	762*14	775
Bolivia	Gregorio salomon hurtado cernito	LSAW	762mm-1524mm	256
Iraq	Anwar muata for general contracting & trading co.,ltd	LSAW	609.6mm-1219mm	569
Russia	Meninglo llc	LSAW	1420*13.7	3700
UAE	Ebasco trading establishment	LSAW	508*19.05,355.6*12.7	182
Venezuela	Pdvs	LSAW	762*9	2000
Tanzania	Shlom engineering limited	LSAW	609.6mm-914.4mm	395
Canada	Tff canada,inc	LSAW	406.4mm-812.8mm	277
Pakistan	Ips-trade b.v jan van galensstraat	LSAW	762mm-914.4mm	1131
Iran	Fanavar sanat kashfi	LSAW	1524mm-762mm	9973.911
India	Og infra tech pte. Ltd	LSAW	508mm	1726.86
Hongkong	Spat international(h.k.)limited	LSAW	660.4mm-762mm	1386.767
UAE	Greenish land trading co	LSAW	508mm-762mm	1000
New Zealand	Lison steel co.,limited	LSAW	508mm-762	1582
USA	Kurt urban partners	LSAW	1066.8mm-609mm	1000
UAE	Bst engineering services jlt	LSAW	1829mm-114mm	1407
Australia	Globalsteel co ltd	LSAW	457.9mm-914.4mm	830
Hongkong	Topcon group ltd	LSAW	710mm	1200
Hongkong	Spat steel international(h.k.)limited	LSAW	813-1066mm	3500
Spain	Leon tubos	LSAW	750*17mm	2000
Hongkong	Yuhong holding group co.,ltd	LSAW	813-914mm	1800
Australia	Globalsteel co ltd	LSAW	914mm-1500mm	1500
Hongkong	Spat international(h.k.)limited	LSAW	914mm	3184
Hongkong	Qinxin international (h.k.)limited	LSAW	762mm	1030
Hongkong	Hyland international(h.k.)limited	LSAW	406mm-1220mm	3450
Italy	Valitalia	LSAW	1016mm	5355



直缝埋弧焊钢管产品生产范围

Product Range of LSAW Steel Pipe

1. 钢管生产尺寸: Size from: DN400-DN1400*6MM-60MM
2. 标准 standard: GB/T9711.1/2, API 5L PSL1 & PSL2/ASTM A53/EN10219/EN10210/JIS/IND etc.
3. 钢级 Grade: L245, L290, L360, B, X42, X52, X60, X70, S275JRH, S275J0H, S355J0H, S355J2H, etc

外径		壁厚(mm)																				
Inch	mm	6	10	12	16	18	20	22	25	28	30	32	35	36	38	40	45	50	55	58	60	
16	406	y	y	y	y	y	y	y	y	y	y											
18	460	y	y	y	y	y	y	y	y	y	y											
20	508	y	y	y	y	y	y	y	y	y	y	y	z	z	z							
22	560		y	y	y	y	y	y	y	y	y	y	z	z	z							
24	610		y	y	y	y	y	y	y	y	y	y	z	z	z							
26	660		y	y	y	y	y	y	y	y	y	y	z	z	z	z						
28	711		y	y	y	y	y	y	y	y	y	y	z	z	z	z						
30	762			y	y	y	y	y	y	y	y	y	z	z	z	z						
32	812			y	y	y	y	y	y	y	y	y	z	z	z	z	x	x	x			
34	863			y	y	y	y	y	y	y	y	y	z	z	z	z	x	x	x	x		
36	915			y	y	y	y	y	y	y	y	y	z	z	z	z	x	x	x	x	x	
38	965				y	y	y	y	y	y	y	y	z	z	z	z	x	x	x	x	x	
40	1016				y	y	y	y	y	y	y	y	z	z	z	z	x	x	x	x	x	
42	1066				y	y	y	y	y	y	y	y	z	z	z	z	x	x	x	x	x	
44	1117					y	y	y	y	y	y	y	z	z	z	z	x	x	x	x	x	
46	1168					y	y	y	y	y	y	y	z	z	z	z	x	x	x	x	x	
48	1219						y	y	y	y	y	y	z	z	z	z	x	x	x	x	x	
52	1320							y	y	y	y	y	z	z	z	z	x	x	x	x	x	
56	1422								y	y	y	y	y	z	z	z	z	x	x	x	x	

公称尺寸表

Nominal Pipe Size

直缝埋弧焊钢管公称外径、公称壁厚和单位长度重量 (GB/T9711.1-2011、GB/T9711.1-1997、GB/T9711.2-1999)、API Spec 5L
The specified outside specified wall thickness and weight per unit length of the SAWL steel pipe.
(GB/T9711.1-2011、GB/T9711.1-1997、GB/T9711.2-1999) / API Spec 5L

公称外径		公称壁厚 (mm)														
Nominal outside diameter		Nominal wall thickness														
mm	in	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	18.0	20.0	22.0	
单位长度重量 (kg/m) Unit length weight																
406.4	16	59.25	68.95	78.60	88.20	97.76	107.26	116.72								
(426.0)		62.14	72.33	82.46	92.55	102.59	112.58	122.51								
457	18	66.73	77.68	88.58	99.44	110.24	120.99	131.69								
(478.0)		69.84	81.30	92.72	104.09	115.41	126.69	137.90								
508.0	20	74.28	86.49	96.65	110.75	122.81	134.82	146.79	158.69	170.56						
(529.0)		77.38	90.11	102.78	115.40	127.99	140.52	152.99	165.43	177.80						
559.0	22	81.82	95.29	106.70	122.07	135.38	148.65	161.88	175.04	188.17						
610.0	24	89.37	104.10	116.77	133.39	147.97	162.48	176.97	191.40	205.78						
(630.0)		92.33	107.54	122.71	137.83	152.90	167.92	182.89	197.81	212.68						
660.0	26	96.77	112.73	126.63	144.48	160.30	176.05	191.77	207.43	223.04						
711.0	28	104.32	121.53	138.70	155.81	172.88	189.89	206.86	223.78	240.65	257.47	274.24				
(720.0)		105.65	123.09	140.47	157.81	175.10	192.34	209.52	226.66	243.75	260.80	277.79				
762.0	30	111.86	130.34	148.76	167.13	185.45	203.73	221.95	240.13	258.26	276.33	294.36				
813.0	32	119.41	139.14	158.62	178.45	198.03	217.56	237.05	256.48	275.86	295.20	314.48				
(820.0)		120.45	140.35	160.20	180.00	199.76	219.46	239.12	258.73	278.28	297.79	317.25				
864.0	34		147.94	168.88	189.77	210.61	231.40	252.14	272.83	293.47	314.06	334.61				
914.0	36		178.75	200.87	222.94	244.96	266.94	288.86	310.73	332.56	354.34					
(920.0)			179.93	202.20	224.42	246.59	268.70	290.78	312.79	334.78	356.68					
965.0	38		188.81	212.19	235.52	258.80	282.03	305.21	328.34	351.43	374.46					
1016.0	40		198.67	223.51	248.09	272.63	297.12	321.56	345.95	370.29	394.58	443.02				
(1020.0)			199.66	224.39	249.08	273.72	298.31	322.84	347.33	371.77	396.16	444.77				
1067.0	42		208.93	234.83	260.67	286.47	312.21	337.91	363.56	389.16	414.71	465.66				
1118.0	44		218.99	246.15	273.25	300.30	327.31	354.26	381.17	408.02	434.83	488.30				
1168.0	46		228.96	257.24	285.58	313.87	342.10	370.29	398.43	426.52	454.56	510.49				
1219.0	48		238.92	268.56	298.16	327.70	357.20	386.64	416.04	445.39	474.68	531.13				
(1220.0)			239.12	268.79	298.40	327.79	357.49	386.96	416.38	445.76	475.08	533.58				
1321.0	52					291.20	323.31	327.79	387.38	419.34	451.26	483.12	514.93	578.41		
(1420.0)							347.72	355.37	416.66	451.08	485.41	519.74	553.96	622.32	690.52	
1422.0	56						348.22	382.23	417.27	451.72	486.13	520.48	554.79	623.25	691.51	759.58
1524.0	60						373.38	410.44	447.46	484.43	521.34	558.21	595.03	668.52	741.82	814.91
(1620.0)								387.03	436.48	457.84	515.20	554.46	593.73	623.87	711.11	788.12

注: 1. 规格重量方数据, 仅供参考, 不作为最终尺寸和重量之尺寸和重量;

2. 本表所列重量仅供参考, 不作为最终尺寸和重量之尺寸和重量;

Note: 1. According to the agreement between the supplier and requisitioning parties, steel pipes whose dimension list between the specified outside diameter and the specified wall thickness listed in the table are all acceptable;

2. The bracketed steel pipe specified outside diameter values listed in the table refer to round diameter value.